

ARNALDO CARNEIRO FILHO  
KARINE COSTA

# The expansion of soybean production in the Cerrado

Paths to sustainable territorial occupation,  
land use and production

ARNALDO CARNEIRO FILHO  
KARINE COSTA

# The expansion of soybean production in the Cerrado

Paths to sustainable territorial occupation,  
land use and production

São Paulo, October 2016.

## ABOUT THE INPUT PROJECT

As the world responds to food security and climate change, Brazil holds a unique position of strength. Thanks to technological advances in agricultural practices and the recent success in curbing deforestation, land use is shifting towards more sustainable practices. Increasing its agricultural production needs while promoting environmental regularization and the conservation of its natural resources is a challenging agenda that brings huge opportunities to the country and to the productive sectors.

The Land Use Initiative (INPUT - Iniciativa para o Uso da Terra) brings together Agroicone with Climate Policy Initiative (CPI) in Brazil. It counts on a dedicated team of leading economists, lawyers, mathematicians, geographers and agronomists who work at the forefront of how to increase environmental protection and food production.

INPUT engages stakeholders in Brazil's public and private sectors and maps the challenges for a better management of its natural resources. Also, it mobilizes agents of the productive chains in order to promote compliance with the new Forest Code. In addition, the project aims at analyzing and influencing the creation of a next generation of low-carbon economy policies in Brazil.

In this project, besides from generating information about the alternatives for restoration of native forests and compensation of Legal Reserve areas, Agroicone is responsible for engaging the private sector in the challenges for compliance and creating sectoral solutions that enable large-scale implementation.

To learn more: [www.inputbrasil.org](http://www.inputbrasil.org)

## ABOUT AGROICONE

Agroicone was founded in 2013 by a group of specialists from ICONA - Institute for International Trade Negotiations. It resulted from 10 years of work by a cohesive team, which was responsible for the production of applied papers and studies, as well as qualified and skilled debates in global agricultural issues both locally and internationally.

The scope of Agroicone's work includes international trade negotiations, food security, public policies, land use change, market intelligence, sustainability, climate change, certifications, remote and satellite sensing technology and also the assembly of content and communication strategies for various value chains, especially: sugarcane, beef and dairy, grain commodities, perennial crops (planted forests and palm oil), bio-energy and those from smallholders.

## © THE EXPANSION OF SOYBEAN PRODUCTION IN THE CERRADO

Paths to sustainable territorial occupation, land use and production

Agroicone, INPUT/2016

### General coordination

Arnaldo Carneiro Filho  
Karine Costa

### Editing and editorial coordination

Camila Rossi

### Maps and technical revision

Karine Costa

### Text and interview

Jaime Gesisky

### Revision

Camila Rossi  
Moema Ungarelli Gonzaga

### Translation

Paula Moura

### Cover photo

©Adriano Gambarini

### Photographs

©Adriano Gambarini  
©Eduardo Aigner  
©Mauricio Mercadante

### Graphic design and layout

Ana Cristina Silveira/Anacê Design



# Executive Summary

INTRODUCTION	4
<b>1. TERRITORIAL OCCUPATION OF THE CERRADO</b>	<b>7</b>
Current agriculture in the Cerrado	10
Agricultural expansion – 2000 to 2014	12
<b>2. OPPORTUNITIES FOR AGRICULTURAL EXPANSION IN THE BIOME</b>	<b>15</b>
Pastures, the agricultural opportunity of the Cerrado	18
The path to occupation of the Cerrado	20
Agricultural suitability	22
Soybean production	23
Agricultural expansion	23
<b>3. INTERVIEW</b>	<b>25</b>
<b>Bernardo Rudorff</b> and <b>Joel Risso</b> , authors of the paper “Geospatial Analyses of the Annual Crops Dynamics in the Brazilian Cerrado Biome – 2000 to 2014”	



# Introduction

**B**ecause of its geographical position and ecological characteristics, the Brazilian Cerrado is of major importance for Brazilian society and agriculture. The biome is a unique environment in the context of South America due to its “water tank” effect as maintainer of water resources, as well as its biodiversity and socio-diversity. Considering its aptitude for modern agriculture and capacity to feed the world, the Cerrado will likely face great challenges in the next decades.

The relationship between production and conservation has long ceased to be ideological and become central in the contemporary economic debate. This because the Brazilian economy and the future of its main pillars, which are agriculture and natural capital, are what is at stake.

The best way to face the challenge of reconciling the growing pressure for the increase in food production and environmental conservation of the Cerrado is to gather the best available scientific knowledge and bring it to the debate.

Considering this scenario of challenges and opportunities, Agroicone seeks to contribute to further advance the discussion about land use optimization in the Cerrado biome through the Land Use Initiative (INPUT) project. By engaging

key stakeholders in agriculture, INPUT develops scenarios that lead to the best solutions in natural resource management and mobilizes agents in the production chains to promote environmental compliance of agricultural properties. Additionally, the project aims to analyze and influence the creation of a next generation of low-carbon economy policies in Brazil.

It is this context that Agroicone promotes the study “Geospatial Analyses of the Annual Crops Dynamics in the Brazilian Cerrado Biome – 2000 to 2014”, carried out by the researchers Bernardo Rudorff and Joel Risso, from Agrosatélite, whose main conclusions are summarized in this document.

The basis for the analysis was the collection of georeferenced data on the biome, enabling a better comprehension of the agricultural occupation and land use dynamics between 2000 and 2014, which was a period of great advances in the agricultural production of the region, especially of soybeans. The researchers present an unprecedented view of the region, which is strategic for national agricultural expansion, as well as for meeting conservation challenges. Currently, the Cerrado concentrates the largest stock of land suitable for agriculture.

This study seeks to be as complete as possible, including solutions to guide agriculture to suitable areas that are still available, comparing the best opportunities in terms of soil and climate, especially for soybean production. With less focus and detail, the study also maps areas for expansion of corn and cotton crops.

One of the main indications of the study is the opportunity for agribusiness to expand soybean production to areas previously occupied by pastures without the necessity of further deforestation.

In the last 10 years, the dynamic of agricultural expansion in the Cerrado was essentially over already anthropized areas (74%), that is, transformation occurred by human action. Within the entire biome, at least 33.4 million hectares of anthropized areas would be suitable for conversion into grain production. Sustainable cattle ranching intensification initiatives in the Cerrado are extremely relevant and strategic to accommodate the new territorial challenges without losses to the remaining vegetation. The consolidated agricultural frontiers have demonstrated that this process is already underway and has great potential to promote the transition between cattle-soybeans over pasture areas.

In the last decade, more than half of the agricultural expansion in the Cerrado occurred over pasture areas, with the exception of the Matopiba region (confluence of the states of Maranhao, Tocantins, Piaui and Bahia), which lacks anthropized areas suitable for agriculture, thus have had the greatest expansion over native vegetation areas.

For this publication, based on crossing data, Agroicone identified agricultural suitability in pastures in order to signal the path to the occupation of the Cerrado. The analysis indicates areas in the Cerrado with native vegetation that are not suitable for agriculture, but that can very well be used for forest compensation or conservation in private areas for compliance with the new Forest Code.

The work carried out by Agrosatelite, which is a type of production zoning, can also serve as an excellent tool for planning conservation without raising conflicts with the territorial interests of agriculture in the Cerrado.

Agroicone's contribution to this publication consists of raising the visibility of the Cerrado biome, disseminating and translating qualified information as a way of enrichening the strategies that will define the outline for sustainable agriculture in Brazil and in the Cerrado.

Enjoy the read!









1

---

# Territorial occupation of the Cerrado





In the last decades, soybeans became one of the most important crops, playing a key role in global food security. Soybeans produce more protein per hectare than any other large-scale crop. In the last 50 years, soybean production increased from 27 to 269 million tons. The conversion of vast areas of forest, pasture and savannah for agricultural use helped to feed the world population and resulted in economic benefits for the countries that produce and commercialize the crop.

According to the Food and Agriculture Organization of the United Nations (FAO), by 2025 Brazil will become the largest producer of soybeans in the world, surpassing the United States. Brazilian production will increase from 89 million tons, on average, to 136 million tons.

The challenge for agribusiness, therefore, is evident: how can it ensure the expansion of soybean production while, at the same time, incorporating the conservation agenda, securing the availability of natural capital and climate security in order to safeguard the future of agricultural production?

Soybeans represent 90% (15.6 million hectares) of all agriculture in the Cerrado biome. In the 2013/2014 harvest, more than half (52%) of the soybeans produced in Brazil were concentrated in the Cerrado.

**From 2000 to 2014, the agricultural area of the Cerrado expanded by 87%. Around 70% of the land use changes occurred in pastures or areas with other agricultural crops.** The main factor for this change was soybean production, which increased 108% in this period – representing in absolute values 8.13 million hectares in Mato Grosso and Goiás. However, it was not only there.

In Matopiba, confluence of the states of Maranhão, Tocantins, Piauí and Bahia, soybean

production increased from 1 million to 3.4 million hectares, which represents a growth of 253% in the period. **Most of the agricultural expansion in Matopiba occurred over native vegetation:** 68% (0.78 million hectares) between 2000 and 2007 and 62% (1.3 million hectares) in the following period, between 2007 and 2014, especially in Maranhão and Piauí, indicating the current agricultural frontier of the Cerrado.

The states that are **outside of Matopiba** followed the general trend: 80% (between 2000 and 2007) and 89% (between 2007 and 2014) of the changes occurred in pastures or other agricultural crops. Among these states, the largest advance of soybean over native vegetation was in Mato Grosso (734 thousand hectares).



The data based on the analysis of more than 2,500 satellite images collected during the 2000, 2007 and 2014 harvests are in the report **Geospatial Analyses of the Annual Crops Dynamics in the Brazilian Cerrado Biome**, coordinated by the researchers Bernardo Rudorff and Joel Risso, from Agrosatelite.

The study evaluated around 204 million hectares of the biome, enabling an understanding of the dynamics underlying the expansion of areas planted with annual crops in the region and how this dynamic relates to the land use changes in the region between 2000 and 2014, which was a period marked by major expansion of agricultural production, especially soybeans.


The stocks of areas suitable for agriculture were mapped within already converted areas, priority areas for agricultural expansion without further deforestation, as well as in native vegetation areas and areas that are not suitable for crops, but that can be used for forest compensation or for conservation in private areas in order to comply with the new Forest Code.



# Current Agriculture of the Cerrado



\* Terraclass Cerrado (2013)




**76%**  
is in private  
properties


**24%**  
is in public  
lands, protected  
by UCs and  
indigenous  
territories




### PROTECTED AREAS IN CONSERVATION UNITS (UCS) AND INDIGENOUS TERRITORIES




### ANNUAL DEFORESTATION RATE IN HA/YEAR



### AGRICULTURE IN THE CERRADO



### THE CULTIVATION OF SOYBEANS IN THE BRAZILIAN TERRITORY






# Agricultural expansion in the Cerrado



## 2000–2014

### SOYBEANS, MAIZE AND COTTON CULTIVATION AREA



### SOYBEAN EXPANSION IN THE CERRADO

### SOYBEAN CULTIVATION AREA IN MATOPIBA





**OVER PASTURES  
AND OTHER CROPS**



**OVER NATIVE VEGETATION  
OF THE CERRADO**





**2000-2007**

**2007-2014**

**2000-2007**





**2007-2014**

**CERRADO**







Most of the expansion occurred  
over native vegetation.

**MATOIPIBA**



**OUTSIDE OF  
MATOIPIBA**



Most of the expansion occurred  
over pastures and other crops.







# 2

---

## Pastures, the agricultural opportunity of the Cerrado

PATHS TO OPTIMIZING LAND USE









## SUITABILITY IN CONVERTED AREAS

Data on rainfall, temperature relief and altitude made it possible to identify that there is a high concentration of areas in the Cerrado that are ideal for the production of soybeans, maize and cotton. **The Agrosatelite study shows that there are at least 25.4 million hectares –territory equivalent to the size of the state of Parana – of already converted lands that are suitable for agriculture.** Most of this territory, which is already occupied by anthropic uses and highly suitable and unrestricted for soybeans, is **outside of Matopiba**, totaling 22.5 million hectares to be used for crops. **In Matopiba**, only 2.8 million hectares have the same conditions.

**It is worth highlighting that pastures (15.5 million hectares)<sup>1</sup> occupy most of these highly suitable areas. This fact, associated to the cattle ranching intensification trend, where increased productivity in a specific area frees less productive areas, poses a strategic opportunity for agribusiness that can expand soybean production in previously occupied pasture areas, without the necessity of further deforestation.**

Added to that are all the logistic advantages in these areas, normally located in regions with some transportation and warehousing infrastructure. These areas are mainly outside of Matopiba (13.9 million hectares)<sup>1</sup>, with emphasis to the states of Goiás and Mato Grosso do Sul (4.8 million hectares and 3.3 million hectares, respectively).

Besides from the converted areas with high agricultural suitability identified by the study, there are still large areas that have also been modified and have medium suitability and no slope or altitude restrictions (5 million hectares, out of which 771 thousand hectares are in Matopiba and 4.2 million hectares outside of Matopiba), but are available for agricultural expansion. From this total, 3 million hectares are pastures<sup>1</sup>, out of which 300 thousand hectares are in Matopiba and 2.7 million hectares outside of Matopiba<sup>1</sup>. These may

also be preferred areas for agribusiness expansion before the occupation of other areas with high suitability covered by native vegetation. Meanwhile, there are 53 million hectares of already modified areas that have restrictions or are not suitable for agriculture, out of which pastures occupy 30.6 million hectares<sup>1</sup>. Part of these areas may be used for restoration projects and compliance with the legal requirements of the Forest Code.

## SUITABILITY IN NATIVE VEGETATION

The identification of areas with high agricultural suitability covered with native vegetation was another valuable exercise carried out by the researchers. **In Matopiba**, these areas total 4.2 million hectares and outside they total 8.3 million hectares, distributed among the other states of the biome.<sup>1</sup>

Furthermore, the study identified the equivalent to 50.7 million hectares<sup>1</sup> of native vegetation with some restriction for agriculture and another 22.5 million hectares<sup>1</sup> of Cerrado with native forests that are unsuitable for agriculture. However, unsuitable areas can also be opportunities for the sector. Areas with this profile can be used for Legal Reserve compensation and other forms of compliance to the forest legislation in force. They can also be used for compliance with international commitments signed by Brazil to reduce greenhouse gas emissions, in REDD+ and in the establishment of private or public protection areas.

**One of the conclusions of the researchers from Agrosatélite is that the next agricultural frontier in Brazil will be in pasture areas that are suitable for soybean production and not necessarily degraded in the states of Goiás, Mato Grosso and Mato Grosso do Sul.**

1. Values discounting areas within Conservation Units (except Environmental Protection Areas – APAs), indigenous lands, rural settlements and quilombola community areas.



# Agricultural suitability in the Cerrado

Areas with remaining Cerrado vegetation can be used for Legal Reserve Compensation.

**HIGH AND MEDIUM AGRICULTURAL SUITABILITY WITHOUT RESTRICTIONS<sup>2</sup> IN CONVERTED AREAS (PASTURES + OTHER USES)**

**26,7 Mha**  
High suitability<sup>2</sup> 22,5 Mha  
Medium suitability<sup>2</sup> 4,2 Mha

**HIGH AND MEDIUM AGRICULTURAL SUITABILITY WITHOUT RESTRICTIONS<sup>2</sup> IN CERRADO NATIVE VEGETATION AREAS**

**9,7 Mha**  
High suitability<sup>2</sup> 8,3 Mha<sup>3</sup>  
Medium suitability<sup>2</sup> 1,4 Mha<sup>3</sup>

**OUTSIDE OF MATOPIBA**

**INSIDE OF MATOPIBA**

**6,1 Mha**  
High suitability<sup>2</sup> 4,3 Mha<sup>3</sup>  
Medium suitability<sup>2</sup> 1,8 Mha<sup>3</sup>

**3,6 Mha**  
High suitability<sup>2</sup> 2,8 Mha  
Medium suitability<sup>2</sup> 771 thousand ha

<sup>2</sup>. No slope or altitude restrictions.

# Pastures, the agricultural opportunity of the Cerrado



**HIGH AND MEDIUM AGRICULTURAL SUITABILITY<sup>2</sup> IN CONVERTED CERRADO AREAS**

The opportunity for agricultural expansion in the Cerrado is on pastures with high agricultural suitability.




**Pastures<sup>4</sup>**  
High agricultural suitability 15,5 Mha<sup>3</sup>  
Medium agricultural suitability 3 Mha<sup>3</sup>

**Other uses**  
High agricultural suitability 9 Mha<sup>3</sup>  
Medium agricultural suitability 1,8 Mha<sup>3</sup>



**OVER PASTURES AND OTHER CROPS**



Expansion of agriculture over pasture areas already occurs in the Cerrado. However, in MatoPIBA, expansion still occurs over native vegetation.

<sup>3</sup>. Values discounting areas within Conservation Units (except Environmental Protection Areas – APAs), indigenous lands, rural settlements and quilombola community areas.


<sup>4</sup>. Agricultural suitability (Agrosatelite/MOORE, 2016) and TerraClass Cerrado 2013 (MMA, 2015).




# The path to occupation of the Cerrado

**PASTURES WITH HIGH AND MEDIUM AGRICULTURAL SUITABILITY AND WITHOUT RESTRICTIONS<sup>5</sup> CAN SUPPORT THE DEMAND FOR AGRICULTURAL EXPANSION AREAS**

- Medium suitability
- High suitability
- Matopiba
- Cerrado



<sup>5</sup> Restrictions apply to slopes >12% and altitude.




**PASTURES WITH LOW AGRICULTURAL SUITABILITY, WITH RESTRICTIONS<sup>6</sup> OR UNSUITABLE FOR SOYBEANS CAN BE USED FOR RESTORATION OR CATTLE INTENSIFICATION**

■ Low suitability ■ Matopiba ■ Cerrado

**30.6 Mha**  
of pastures with low  
agricultural suitability,  
with restrictions<sup>6</sup> or  
unsuitable for  
agricultures

**Matopiba**  
6.4 Mha

**Outside of  
Matopiba**  
24.2 Mha




**6.** Restrictions apply to slopes >12% and altitude.

**OBS.** The pasture area for which the agricultural suitability was classified is equivalent to 49 Mha. The difference between this value and the pasture area mapped by Terraclass Cerrado 2013 is due to the different methodology used in the mappings.




# Agricultural suitability

## PASTURES WITH HIGH AND MEDIUM AGRICULTURAL SUITABILITY WITHOUT RESTRICTIONS<sup>7</sup> FOR AGRICULTURE



## PASTURES WITH LOW AGRICULTURAL SUITABILITY, WITH RESTRICTIONS<sup>7</sup> OR UNSUITABLE FOR AGRICULTURE




<sup>7</sup> Slope restrictions and altitude restrictions.


# Soybean production

## DISTRIBUTION OF SOYBEANS IN THE CERRADO (2013-2014)

Mato Grosso is the state with the largest soybean area in the Cerrado.




In the 2013/14 harvest, Matopiba already concentrated a large part (21.8%) of soybean area in the Cerrado. A significant increase of this area occurred in Piauí.




# Agricultural expansion

## BETWEEN 2000 AND 2007



## BETWEEN 2007 AND 2014









3

# Interview

BERNARDO RUDORFF AND JOEL RISSO





“There is a lot of space for soybean expansion in the Cerrado without needing to clear new areas”, stated one of the researchers.

**D**uring an interview, the researchers **BERNARDO RUDORFF** and **JOEL RISSO** explained that the study is only the first step, although substantial, in thinking about the strategic plan for agriculture in the Cerrado and looking at the future of the region. Other studies and analyses need to be done in order to build up on this effort. **Read the full interview!**

*Although Brazil did not commit to specific targets for reduction of deforestation during the Climate Conference in Paris, the Cerrado Biome is too important to carry on without long term planning, do you agree?*

**BERNARDO RUDORFF:** Brazil has access to updated satellite images that are capable of showing land use occupation dynamics and if there has been deforestation or not, at the property level. There is no reason for not having an effective system to control the Cerrado. Civil society is concerned with the future of the region for essential reasons, such as the Cerrado's biodiversity and ability to capture and retain water, including for the Amazon. As previously defined, it is Brazil's water tank. Furthermore, the biome plays a central role in greenhouse gas emissions. Add to that the fact that the Cerrado concentrates the greatest amount of land with high agricultural suitability in the Country and that agribusiness will carry on. Thus, it is of general interest to think about the future of the biome. There is no way to look at the future of the Cerrado without considering all of the science and technology available.

*And in what way can this analysis about the dynamics of agricultural crops help in this planning?*

**JOEL RISSO:** We have to consider that it is the first study that contemplates the biome as a whole, from the point of view of its land use dynamics with agriculture for a long period of 14 years. We are talking about an area of 204 million hectares, which is far from negligible. Around 94.3 million hectares have unfavorable slopes and altitude for soybean production. Another 36.8 million hectares are unsuitable for agricultural production due to climate and soil conditions. There are areas with high suitability, but covered with native vegetation, where the recommendation is certainly conservation. However, there are a remainder of 30.4 million hectares of anthropized areas with high and medium suitability for soybeans, which is where the government should rationally guide future grain expansion to in the Cerrado Biome.

These areas have appropriate soil, climate, slope and altitude. It is just a matter of choice. If we subtract the sugarcane areas, which



occupy around 5 million hectares, out of these 33.4 million hectares, we would still have a stock of land large enough to expand in up to 1.5 times the area destined to grains in this biome, occupying only areas of high and medium agricultural suitability and without further deforestation. Furthermore, most of this stock is in areas outside of the Matopiba. I would risk to say that the next agricultural frontier in Brazil will be in pasture areas suitable for soybean production and not necessarily degraded in Goiás, Mato Grosso and Mato Grosso do Sul.

*But Matopiba is currently the major agricultural frontier. It is at the forefront of deforestation in the Cerrado.*

**BERNARDO RUDORFF:** This has been the trend in the last decade, but we believe that it will not be for long. The stocks of land with highest agricultural suitability and, consequently, lowest climatic risks are limited and increasingly scarce. Take the case of western Bahia, for example, where the advance of grains east of BR-020 have maybe exceeded the limit of areas with lowest climatic risk. This region suffers with a series of three or four consecutive years of harvest losses caused by periods of drought and, generally, the most affected areas are in these recent expansion areas east of BR-020. Precipitation there has been lower than expected and much thought should be put into opening a new business there. The soil did not change, but the climate shows many signs of change. The yellow light was turned on.

*And in the study, where are the most indicated areas for future agricultural production located?*

**BERNARDO RUDORFF:** There is a very rich database available in the project's website, where it is possible to carry out several consultations, whether at the level of the

biome, micro-region, municipality or within the municipality, and check where the best areas for expansion are. It is obvious that further analysis and improvements can be made to the data considering specific and important aspects for different agents. We want to be challenged in order to take further steps in this study, but the baseline is ready. We understand that the creation of a public policy to address this with the necessary seriousness is indispensable. And this is the government's role. The instruments for decision-making are in the study and in further studies that should complement it throughout the years. We are creating the basis for rational, strategic planning. Beyond that, we can aggregate studies on viability of processing and logistics infrastructure, among many others. It is also a great argument for civil society to use in debates about agribusiness and sustainability from now on.

*However, doesn't the production sector also need to be aligned in this perspective?*

**JOEL RISSO:** The new businesses that are emerging are already more sustainable, which is a consequence of new factors. Among them, the Forest Code, which requires commitment to Legal Reserves and Permanent Preservation Areas, with penalties in access to credit for those who do not comply. Currently, no serious entrepreneur will start a business in soybean production without establishing a Legal Reserve, as he knows that he will be questioned on whether there was deforestation in the soybean's production chain. Compliance to the law is something that both society and the market already require. Moreover, the market has even been stricter than the Forest Code, pointing to zero deforestation requirements, as seen in the New York Declaration – in which companies, governments and society committed to zero deforestation in the next decades – and in international forums, where large agricultural

commodity buyers, specially of soybeans, want to get rid of the deforestation trail.

*But the Forest Code allows legal deforestation.*

**BERNARDO RUDORFF:** The thing is that satellite images now show if the soybeans came from a deforested area and that soybean may be rejected. The market tends to be stricter than the Forest Code. However, using the satellite images in a more efficient way is necessary in order to effectively monitor and demonstrate to the international market that Brazilian soybeans are being produced in a sustainable manner and the advances toward reducing and even eliminating deforestation from the soybean production chain. The study helps to better guide production with gains for agribusiness, society and government. Therefore, saying that it is impossible to do things right is no longer conceivable. We need

political will. What we are showing is that there is a lot of space for soybean expansion in the Cerrado without clearing new areas.

*Something like what happened with soybeans in the Amazon after the moratorium?*

**JOEL RISSO:** Exactly. Soybean production in the Amazon grew since the beginning of the Moratorium, which banned the advance of the crop over the forest. And deforestation fell drastically in the last years. This was only possible due to the expansion over previously deforested areas that were occupied by pastures. And it was not at the expense of clearing new areas, but largely thanks to improvements in the quality of pastures, which have freed thousands of hectares for agriculture with no losses to meat production. If everything is working out in the Amazon, the same logic can be applied to the Cerrado.

The complete study **Geospatial Analyses of the Annual Crops Dynamics in the Brazilian Cerrado Biome 2000-2014** is available at <https://goo.gl/WU88WS>



